



MICROCOPY RESOLUTION TEST CHART NATIONAL BUREAU OF STANDARDS - 1963 - A

		PHOTOGRAPH THIS S	неет
910	~		
AD-A170 9		IMMUNE RESPONSES PARASITIC DISEASES NUAL REPORT - SEPT. I (July 1974 - June 197 DOCUMENT IDENTIFICATION	982
ΑΓ	Δ	Approve	TION STATEMENT A od for public release; ibution Unlimited
	•	DISTRIBUTIO	ON STATEMENT
ACCESSION FOR NTIS GRA&I DTIC TAB UNANNOUNCED JUSTIFICATION BY DISTRIBUTION / AVAILABILITY CODES DIST AVAILA DISTRIBUTION	ND/OR SPECIAL	More Cory	DTIC ELECTE AUG 2 0 1986 PD DATE ACCESSIONED
			DATE RETURNED
8		0 02 2	
	DATE RECEIVED	O IN DTIC OGRAPH THIS SHEET AND RETURN TO DTIC	REGISTERED OR CERTIFIED NO.
<u></u>	· · · · · · · · · · · · · · · · · · ·	DOCUMENT PROCESSING SHEET	PREVIOUS EDITION MAY BE USED IN STOCK IS EXHAUSTED.

AD			

AD-A170 910

IMMUNE RESPONSES IN PARASITIC DISEASES

Annual Report

Daniel J. Stechschulte, M.D.

Herbert B. Lindsley, M.D.

September 1982

(July 1974 - June 1975)

Supported by

U. S. ARMY MEDICAL RESEARCH AND DEVELOPMENT COMMAND Fort Detrick, Frederick, Maryland 21701

Contract No. DAMD 17-74-C-4136

University of Kansas Medical Center College of Health Sciences and Hospital Kansas City, KS 66103

DOD DISTRIBUTION
Approved for public release; distribution unlimited

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other documents.

	REPORT DOCUMENTATION PAGE	
REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUM
TITLE (and Subtitle)		5. TYPE OF REPORT & PERIOD
IMMUNE RESPONSES IN PARASITIC DISEASES		Annual Report July 1974 - June 19
		6. PERFORMING ORG. REPORT
AUTHOR(*)		8. CONTRACT OR GRANT NUMB
Daniel J. Stechschulte, M.D. Herbert B. Lindsley, M.D.		DAMD17-74-C-4136
PERFORMING ORGANIZATION NAME AND ADDRESS		10. PROGRAM ELEMENT, PROJE AREA & WORK UNIT NUMBE
University of Kansas Medical Cent College of Health Sciences and Ho Kansas City, KS 66103		62770A.3M162770A802
. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE
US Army Medical Research and Deve Fort Detrick	lopment Command	1 September 1982
Frederick, Maryland 21701 MONITORING AGENCY NAME & ADDRESS/If different	from Controlling Office)	7 15. SECURITY CLASS. (of this re
		Unclassified 154. DECLASSIFICATION/DOWNS
		15a. DECLASSIFICATION/DOWN SCHEDULE
Approved for public release; dis		
7. DISTRIBUTION STATEMENT (of the abetract entered i	n Block 20, if different from	n Report)
. DISTRIBUTION STATEMENT (of the abetract entered)	n Block 20, if different from	n Report)
. DISTRIBUTION STATEMENT (of the abetract entered in the state of the abetract entered in the	n Block 20, if different from	n Report)
	n Block 20, if different from	n Report)
. SUPPLEMENTARY NOTES		n Report)
None		n Report)
None		n Report)
None KEY WORDS (Continue on reverse side if necessary and	i identify by block number) Identify by block number)	
None KEY WORDS (Continue on reverse side if necessary and Acquired resistance to infection a dependent upon specific immune resliferation of thymic or T and burs	identify by block number) identify by block number) nd the developme ponses. The res al-equivalent or	nt of sterile immunit ponses include the pr B lymphocytes and th
None KEY WORDS (Continue on reverse side if necessary and Acquired resistance to infection a dependent upon specific immune resliferation of thymic or T and burs production of lymphocyte mediators recent evidence indicates that T a immune response and that both lymplymphocyte mediators, an investigation of the second of the second content of the sec	identify by block number) Identify by block number) Ind the developme ponses. The resultant or and immunoglobur and immunoglobur hocyte population of the immu	nt of sterile immunit ponses include the pr B lymphocytes and th lins respectively. A ation modulates the t ns produce selected ne response to infect
None KEY WORDS (Continue on reverse side if necessary and Acquired resistance to infection a dependent upon specific immune response of lymphocyte mediators recent evidence indicates that T a immune response and that both lymp	identify by block number) identify by block number) nd the developme ponses. The res al-equivalent or and immunoglobu nd B cell cooper hocyte populatio tion of the immu ng the cellular	nt of sterile immunit ponses include the pr B lymphocytes and th lins respectively. A ation modulates the t ns produce selected ne response to infect

Unclassified SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered) Item #20 - Continued: humoral systems independently. Monospecific reagents will be developed for the rat immunoglobulins in order to specifically measure the antibody response to Trypanosoma rhodes anse infection.

THE PARTY OF THE PROPERTY OF T

AD	ı

IMMUNE RESPONSES IN PARASITIC DISEASES

Annual Report

Daniel J. Stechschulte, M.D.

Herbert B. Lindsley, M.D.

September 1982

(July 1974 - June 1975)

Supported by

U. S. ARMY MEDICAL RESEARCH AND DEVELOPMENT COMMAND Fort Detrick, Frederick, Maryland 21701

Contract No. DAMD 17-74-C-4136

University of Kansas Medical Center College of Health Sciences and Hospital Kansas City, KS 66103

DOD DISTRIBUTION
Approved for public release; distribution unlimited

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other documents.

Summary

Acquired resistance to infection and the development of sterile immunity is dependent upon specific immune responses. The responses include the proliferation of thymic or T and bursal-equivalent or B lymphocytes and their production of lymphocyte mediators and immunoglobulins respectively. Although recent evidence indicates that T and B cell cooperation modulates the total immune response and that both lymphocyte populations produce selected lymphocyte mediators, an investigation of the immune response to infection can still be approached by exploring the cellular and humoral systems independently. Monospecific reagents will be developed for the rat immunoglobulins in order to specifically measure the antibody response to Trypanosoma rhodesiense infection.

Foreword

The research studies conducted at the University of Kansas Medical Center between July, 1974 and June, 1975 under a contractual arrangement with U.S. Army Research and Development Command were designed to further understand the immunopathogenic mechanism in rats infected with Trypanosoma rhodesiense. In conducting the research described in this report, the investigator(s) adhered to the "Guide for Laboratory Animal Facilities and Care," as promulgated by the Committee on the Guide for Laboratory Animal, Resources, National Academy of Sciences-National Research Council.

Acquired resistance to infection and the development of sterile immunity is dependent upon specific immune responses. The responses include the proliferation of thymic or T and bursal-equivalent or B lymphocytes and their production of lymphocyte mediators and immunoglobulins respectively. Although recent evidence indicates that T and B cell cooperation modulates the total immune response and that both lymphocyte populations produce selected lymphocyte mediators, an investigation of the immune response to infection can still be approached by exploring the cellular and humoral systems independently.

The host immune response of any species to an infection with African trypanosomiasis is not completely understood. The rat was initially selected as a model in which to study Trypanosoma rhodesiense infections, because of: (1) the availability of monospecific reagents to the recognized rat immunoglobulins and therefore the antibodies within each class; (2) the demonstrated histocompatability of inbred rat strains permitting adoptive cell transfer studies, and (3) the probability that this hostparasite relationship can be studied as a chronic infection, better suited for a detailed kinetic analysis of the immune response. When the trypanosomal antiqens are characterized, the humoral immune response to infection will be analyzed by standard in vitro techniques, and these antigens will also be evaluated for their ablity to stimulate lymphocyte proliferation. A notable feature of African trypanosomiasis is the dramatic rise in IgM levels which return to normal with successful

treatment of the infection. Characterization of this IgM response in the rat may provide a useful insight into the effectiveness of IgM antibodies as a mechanism of protection against T. rhodesiense infection. Rats demonstrating resistance to infection presumably have acquired protective antibody and/or a lymphocyte population that specifically recognizes the parasite at a vulnerable stage in its life The effects of passive transfer of antibody and adoptive transfer of educated lymphocytes into syngeneic rats prior to the initial infection will test this presumption. Protective antibody, defined by its ability to confer a delay in patency, a suppressed parasitemia, or a decrease mortality to rats experience a primary infection, will be defined in terms of immunoglobulin class and in vitro antibody titer. The recent development of techniques such as affinity column chromotography, which allows quantitative recovery of virtually pure populations of T and B lymphocytes, should permit an evaluation in syngeneic rats of the effects of each cell type on subsequent infections.

These studies have demnstrated that the predominate humoral immune response in rhodent <u>T. rhodesiense</u> infection is in the IgM and IgG l classes. What role these antibodies play in host defense mechanisms and tissue injury are undetermined.

Section Control